
The Gut-Brain Connection and Telepathy

Garret Yount, PhD (+ Dean, Arnaud, Cedric, Helané)



Overview

- 1) Definition of the gut-brain
- 2) How it could relate to telepathy
- 3) Results of IONS pilot study
- 4) Teaser for ongoing study
- 5) **Q** and **A**






What is the gut-brain?

a.k.a. Belly brain

a.k.a. Second brain

a.k.a. Enteric nervous system





Enteric nervous system?

Answer:

The often overlooked sibling of the famous nervous system twins






Nervous system twins?






The ANS twins








Autonomic balance







Autonomic balance







Deep Breathing and Relaxation Activation



Mechanism:

- Activates stretch receptors in the lower lungs
- Engages the vagus nerve, a key component of the parasympathetic nervous system


Deep Breathing and Relaxation Activation



Effect:

- Slows respiratory rate
- Increases oxygen exchange
- Reduces heart rate
- Lowers blood pressure
- Promotes a state of relaxation


Shallow Breathing and Stress Activation



Mechanism:

- Activates Hering-Breuer inflation receptors
- Can increase sympathetic nervous system activity

Shallow Breathing and Stress Activation



Effect:

- Increases heart rate
- Heightens anxiety
- Can reinforce the stress response loop


Overlooked sibling?







The ANS triplets



Enteric nervous system

Regulates GI function





Enteric nervous system

~ 1/2 billion neurons innervating the gastrointestinal tract





Enteric nervous system

- ~ 1/2 billion neurons innervating the gastrointestinal tract
- Controls vital functions including digestion, immunity, and inflammation





Enteric nervous system

- ~ 1/2 billion neurons innervating the gastrointestinal tract
- Controls vital functions including digestion, immunity, and inflammation
- Bidirectional communication with the "first brain"





Bidirectional communication ...





Bidirectional communication ...





So, what's this got to do with telepathy?





Gut-brain connection and telepathy





Gut-brain connection and telepathy






Electrogastogram (EGG)

Gut-brain activity



Electrogastogram (EGG)











Laboratory layout





"Sender" and "Receiver"

Sender in the library






"Sender" and "Receiver"

Sender in the library

Live video of Receiver in the chair room




"Sender" and "Receiver"

Sender in the library

Live video of Receiver in the chair room

Goal: send the feeling stimulated by images on the right screen



Pilot study results published in 2005

Gut Feelings, Intuition, and Emotions: An Exploratory Study


DEAN I. RADIN, Ph.D. and MARILYN J. SCHLITZ, Ph.D.

ABSTRACT

Objective: Investigate whether the gut feelings of one person, as measured with an electrogastrogram (EGG), respond to the emotions of a distant person.




Pilot study results






Pilot study results





Pilot study results





This experiment suggests that some somatic feeling may be associated with perceptions transcending ordinary sensory capabilities.




This experiment suggests that some somatic feeling may be associated with perceptions transcending ordinary sensory capabilities. Of course, it would be imprudent to assume that all gut feelings necessarily contain intuitive information, ...



This experiment suggests that some somatic feeling may be associated with perceptions transcending ordinary sensory capabilities. Of course, it would be imprudent to assume that all gut feelings necessarily contain intuitive information, as on occasion visceral sensations reflect little more than a bad burrito.



Current study focus: sad stimuli





Follows same design as pilot study









Some interesting differences too!





Do you have telepathic powers?

Whether your answer is yes, no, or don't know, we're inviting you and a partner

to participate in a research experiment at the Institute of Noetic Sciences (IONS).

To be **eligible**, you both need to believe that <u>telepathy is at least possible</u>, and be willing to:

- Show up together at the IONS Lab in Novato on an agreed-upon weekday at 11:30 AM, having eaten a small, standardized breakfast
- 2) Have sensors placed on your abdomen to measure the electrical activity of your stomach and be okay with exposing your belly to do so
- 3) Relax in a comfortable "zero-gravity" recliner for around 30 min.

As a thank you, we'll offer each of you \$100 (Via PayPal) and a free lunch after your experimental session.

If interested, please scan the QR code below or email: lab@noetic.org



This study is being conducted by IONS and all study activities are overseen by a research ethics board registered with the U.S. Department of Health & Human Services (IORG#0003743). The Principal Investigator of this study is Garret Yount, PhD.







Thank you!

Funder: Bial Foundation of Porto, Portugal

